

CabinetBecker.4006.ST25.txt
SEQUENCE LISTING

<110> AP Cells, Inc.
Lamparski, Henry
Ruegg, Curtis
Le-Pecq, Jean-Bernard
Hsu, Di-Hwei
Yao, Jenq-Yuan

<120> Methods of Producing Membrane Vesicles

<130> 260/058 702015.6

<140> US 09/780,748

<141> 2001-02-09

<150> US 09/561,205

<151> 2000-04-27

<160> 5

<170> PatentIn version 3.2

<210> 1

<211> 10

<212> PRT

<213> Hepatitis B

<220>

<221> peptide

<222> (1)..(10)

<223> derived from HLA-2 restricted core antigen

<400> 1

Phe Leu Pro Ser Asp Cys Phe Pro Ser Val
1 5 10

<210> 2

<211> 9

<212> PRT

<213> Homo sapiens

<220>

<221> peptide

<222> (1)..(9)

<223> Derived from MAGE melanoma antigen

<400> 2

Glu Val Asp Pro Ile Gly His Leu Tyr
1 5

<210> 3

<211> 10

<212> PRT

<213> Homo sapiens

<220>
<221> peptide
<222> (1)..(10)
<223> Derived from MART-1 melanoma antigen

<400> 3

Glu Leu Ala Gly Ile Gly Ile Leu Thr Val
1 5 10

<210> 4
<211> 8
<212> PRT
<213> Homo sapiens

<220>
<221> peptide
<222> (1)..(8)
<223> Derived from ovalbumin residues 257-269

<400> 4

Ser Ile Ile Asn Phe Glu Lys Leu
1 5


<210> 5
<211> 9
<212> PRT
<213> Artificial peptide

<220>
<223> isoleucine to cysteine substitution

<220>
<221> peptide
<222> (1)..(9)
<223> Derived from MAGE 3A1 peptide by substitution of cytosine for
isoleucine

<400> 5

Glu Val Asp Pro Cys Gly His Leu Tyr
1 5



SEQUENCE LISTING

<110> AP Cells, Inc.
Lamparski, Henry
Ruegg, Curtis
Le-Pecq, Jean-Bernard
Hsu, Di-Hwei
Yao, Jenq-Yuan

<120> Methods of Producing Membrane Vesicles

<130> 260/058 702015.6

<140> US 09/780,748

<141> 2001-02-09

<150> US 09/561,205

<151> 2000-04-27

<160> 5

<170> PatentIn version 3.2

<210> 1

<211> 10

<212> PRT

<213> Hepatitis B

<220>

<221> peptide

<222> (1)..(10)

<223> derived from HLA-2 restricted core antigen

<400> 1

Phe Leu Pro Ser Asp Cys Phe Pro Ser Val
1 5 10

<210> 2

<211> 9

<212> PRT

<213> Homo sapiens

<220>

<221> peptide

<222> (1)..(9)

<223> Derived from MAGE melanoma antigen

<400> 2

Glu Val Asp Pro Ile Gly His Leu Tyr
1 5

<210> 3

<211> 10
<212> PRT
<213> Homo sapiens

<220>
<221> peptide
<222> (1)..(10)
<223> Derived from MART-1 melanoma antigen

<400> 3

Glu Leu Ala Gly Ile Gly Ile Leu Thr Val
1 5 10

<210> 4
<211> 8
<212> PRT
<213> Homo sapiens

<220>
<221> peptide
<222> (1)..(8)
<223> Derived from ovalbumin residues 257-269

<400> 4

Ser Ile Ile Asn Phe Glu Lys Leu
1 5

<210> 5
<211> 9
<212> PRT
<213> Artificial peptide

<220>
<223> isoleucine to cysteine substitution

<220>
<221> peptide
<222> (1)..(9)
<223> Derived from MAGE 3A1 peptide by substitution of cytosine for
isoleucine

<400> 5

Glu Val Asp Pro Cys Gly His Leu Tyr
1 5